



Harrens Lab Inc
3507 Breakwater Ave
Hayward, CA 94545

(510) 887-8885
http://www.harrenslab.com
Lic# C8-0000021-LIC
DEA#: RH0490805

QA Testing Testing

Frosted Candy

SampleID: HR20250290600

Strain: Frosted Candy

Matrix: Plant

Type: Flower - Cured

Sample Size: 7g

Batch:

Produced:

Received:

Collected: 09/15/2025


Completed: 09/28/2025

Batch#: MF2025029090

Client STRAINX Lic. #

5930 Star Ln, STE C

Houston, TX 77057



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	09/19/2025	Complete
Moisture	09/19/2025	13.38%

Cannabinoids

Complete

20.47%	ND	21.18%
Total THC	Total CBD	Total Cannabinoids

Analyte THCa	LOD	LOQ	Result	Result
	mg/g	mg/g	%	mg/g
Δ9-THC	0.20000	0.61000	23.04	230.36
Δ8-THC	0.15000	0.45000	0.27	2.65
THCV	0.14000	0.42000	ND	ND
CBDa	0.15000	0.44000	ND	ND
CBD	0.10000	0.31000	ND	ND
CBN	0.15000	0.45000	ND	ND
CBGa	0.16000	0.50000	ND	ND
CBG	0.29000	0.88000	0.81	8.12
CBC	0.13000	0.39000	ND	ND
Total THC	0.14000	0.42000	20.47	204.68
Total CBD			ND	ND
Total			21.18	ND
Sum of Cannabinoids			24.11	211.80
				241.13

Determination of Cannabinoids by HPLC, HL223

Total THC = Δ9-THCa * 0.877 + Δ9-THC

Total CBD = CBDA * 0.877 + CBD

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01, Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.

Ming Li - General Manager
09/28/2025

Con dent LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 3 23; SOP HL324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LOQ ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.