

Lemon Cherry Fritter

Sample ID: HR20250790632
Strain: Lemon Cherry Fritter
Matrix: Plant
Type: Flower - Cured
Sample Size: ; Batch:
Produced:
Collected: 10/12/2025
Received: 10/14/2025
Completed: 10/24/2025
Batch#: AE24AGFHTMB101824-G101824
Client STRAINX Lic. #
5930 Star Ln, STE C
Houston, TX 77057



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	10/16/2025	Complete
Moisture	10/16/2025	11.86%
Microbials	10/18/2025	Pass
Pesticides	10/16/2025	Pass
Heavy Metals	10/17/2025	Pass

Cannabinoids

Complete

20.28%		ND		21.34%	
Total THC		Total CBD		Total Cannabinoids	
Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g	
THCa	0.20000	0.61000	22.79	227.92	
Δ9-THC	0.15000	0.45000	0.29	2.91	
Δ8-THC	0.14000	0.42000	ND	ND	
THCV	0.15000	0.44000	ND	ND	
CBDa	0.10000	0.31000	ND	ND	
CBD	0.15000	0.45000	ND	ND	
CBN	0.16000	0.50000	ND	ND	
CBGa	0.29000	0.88000	1.21	12.10	
CBG	0.13000	0.39000	ND	ND	
CBC	0.14000	0.42000	ND	ND	
Total THC			20.28	202.80	
Total CBD			ND	ND	
Total			21.34	213.41	
Sum of Cannabinoids			24.29	242.93	

Determination of Cannabinoids by HPLC, HL223
Total THC = Δ9-THCa * 0.877 + Δ9-THC
Total CBD = CBDa * 0.877 + CBD
ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory, HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.

Ming Li

Ming Li - General Manager
10/24/2025

Con dent LIMS
All Rights Reserved
coa.support@con dentlims.com
(866) 506-5866
www.con dentlims.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL 217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.